

Wissenschaftliche Arbeiten

1. **Holinski F**, Menenakos C, Haber G, Olze H, Ordemann J.
Olfactory and Gustatory Function After Bariatric Surgery. *Obes Surg*. 2015 Apr 25.
2. Erb-Eigner K, Bohner G, Goektas O, Harms L, **Holinski F**, Schmidt FA, Dahlslett B, Dommès E, Asbach P, Lüdemann L.
Tract-based spatial statistics of the olfactory brain in patients with multiple sclerosis. *J Neurol Sci*. 2014 Nov 15;346(1-2):235-40.
3. **Holinski F**, Schmidt F, Dahlslett SB, Harms L, Bohner G, Olze H.
MRI study: objective olfactory function and CNS pathologies in patients with multiple sclerosis. *European Neurology*. 2014;72(3-4):157-62. doi: 10.1159/000362165. Epub 2014 Sep 6.
4. **Holinski F**, Elhajzein F, Scholz G, Sedlmaier B.
[Vestibular dysfunction after cochlear implant in adults]. *HNO*. 2012 Oct;60(10):880-5.
5. **Fleiner F**, Lau L, Göktas Ö.
Active olfactory training in the therapy of smelling disorders. *Ear, Nose and Throat Journal*. 2012 May;91(5):198-203, 215.
6. Erb K, Bohner G, Harms L, Goektas O, **Fleiner F**, Dommès E, Schmidt FA, Dahlslett B, Lüdemann L.
Olfactory function in patients with multiple sclerosis: A diffusion tensor imaging study. *J Neurol Sci*. 2012 May 15;316(1-2):56-60. doi: 10.1016/j.jns.2012.01.031. Epub 2012 Feb 17.
7. Dahlslett SB, Goektas O, Schmidt F, Harms L, Olze H, **Fleiner F**.
Psychophysiological and electrophysiological testing of olfactory and gustatory function in patients with multiple sclerosis. *European Archives of Otorhinolaryngology*. 2012 Apr;269(4): 1163-9. Epub 2011 Nov 6
8. **Fleiner F**, Goktas O.
Topical Beclomethasone in the Therapy of Smelling Disorders - a new application technique. *Indian Journal of Otolaryngology and Head & Neck Surgery*. 2011;63(1):5-9. Epub 2011 Jan 12.
9. Goektas O, Schmidt F, Bohner G, Erb K, Dahlslett B, Harms L, **Fleiner F**.
Olfactory bulb volume and olfactory function in patients with multiple sclerosis. *Rhinology*. 2011;49(2):221-226.
10. Schmidt FA, Goktas O, Harms L, Bohner G, Erb K, Dahlslett B, **Fleiner F**.
Structural correlates of taste and smell loss in encephalitis disseminata. *PLoS One* 2011;6(5):e19702. Epub 2011 May 17.
11. Göktas Ö, Lau L, **Fleiner F**.

Effect of laser treatment on olfactory dysfunction. *Indian Journal of Otolaryngology and Head & Neck Surgery*. 2014. Jan;66(Suppl 1):173-9. doi: 10.1007/s12070-011-0413-5. Epub 2011 Dec 20.

12. Schmidt FA, **Fleiner F**, Harms L, Bohner G, Erb K, Lüdemann L, Dahlslett B, Göktas O.
Pathological Changes of the Chemosensory Function in Multiple Sclerosis - an MRI Study. *Rofo*. 2011;183(6):531-5. Epub 2011 Apr 12. German.
13. **Fleiner F**, Dahlslett B, Schmidt F, Harms L, Goektas O.
Olfactory and gustatory function in patients with Multiple Sclerosis. *American Journal of Rhinology and Allergy*. 2010;24(5):e93-e97.
14. **Fleiner F**, Glander P, Fritsche L, Neumayer HH, Budde K.
Why rejections are not biopsy proven: frequency and reasons. *Transplantation Proceedings*. 2010 Dec;42(10):4509-12.
15. **Fleiner F**, Lau L, Goektas O.
Pressure-pulsed inhalation corticosteroid therapy in olfactory disorders- how we do it. *Clinical Otolaryngology*. 2010 Oct;35(5):429-34.
16. **Franca Fleiner**, Önder Göktas.
Kortisontherapie bei Riechstörungen mittels Druckstoßinhalation. *HNO-Mitteilungen*. 2010; 60: 120-123.
17. **Fleiner F**.
Pressure-pulsed cortisone therapy in smelling disorders. *Laryngorhinootology*. 2010;89(10):590-591.
18. Göktas O, **Fleiner F**, Spies C, Krieg H, Bauer K, Sedlmaier B.
Process optimization in ENT: clinical pathways and central induction area. *HNO*. 2010; 58(2):142-50. German.
19. Göktas O, Cao Van H, **Fleiner F**, Lacroix JS, Landis BN.
Chemosensory function in Wegener's granulomatosis: a preliminary report. *European Archives of Otorhinolaryngology*. 2010;267(7):1089-93. Epub 2009 Dec 31.
20. Bauknecht HC, Jach C, **Fleiner F**, Sedlmaier B, Göktas O.
[Olfactory dysfunction: correlation of olfactory bulb volume on MRI and objective olfactometry]. *Rofo*. 2010;182(2):163-8. Epub 2009 Dec 7. German.
21. **Fleiner F**, Jumah M, Göktas Ö.
Cancer of the external auditory canal-diagnostic and treatment. *Indian Journal of Otolaryngology and Head & Neck Surgery*. 2009;61(4):270-274.
22. Jumah MD, **Fleiner F**, Wendt S, Pavel M, Schwabe M, Göktas O.
[Poorly differentiated neuroendocrine carcinoma of the larynx. Diagnostic features, treatment strategy, and prognosis]. *HNO*. 2009;57(2):135-41. German.

23. Goektas O, **Fleiner F**, Frieler K, Scherer H, Paschen C.
The scent-diffusing ventilator for rehabilitation of olfactory function after laryngectomy. *American Journal of Rhinology*. 2008;22(5):487-90.
24. Göktas O, **Fleiner F**, Paschen C, Lammert I, Schrom T.
Rehabilitation of the olfactory sense after laryngectomy: long-term use of the larynx bypass. *Ear Nose Throat Journal*. 2008;87(9):528-30.
25. Goektas O, **Fleiner F**, Sedlmaier B, Bauknecht C.
Correlation of olfactory dysfunction of different etiologies in MRI and comparison with subjective and objective olfactometry. *European Journal of Radiology*. 2009;71(3):469-73. Epub 2008 Dec 13.
26. Martini S, Glander P, Fritsche L, **Fleiner F**, Budde K.
Suggested Guidelines for Reporting Clinical Results in Transplantation Trials. *Transplantation Reviews*. 2007;21:136-42.
27. **Fleiner F**, Fritsche L, Glander P, Neumayer HH, Budde K.
Reporting of rejection after renal transplantation in large immunosuppressive trials: biopsy-proven, clinical, presumed, or treated rejection? *Transplantation*. 2006;81:655-9.
28. **Fleiner F**, Budde K, Dragun D, Hartmann M, Neumayer HH, Fritsche L.
Differences in reporting of acute rejections between American and European publications of large immunosuppressive trials impair comparability of study results. *Transplantation Proceedings*. 2005;37:2048-50.
29. Fritsche L, Einecke G, **Fleiner F**, Dragun D, Neumayer HH, Budde K.
Reports of large immunosuppression trials in kidney transplantation: room for improvement. *American Journal of Transplantation*. 2004;4:738-43.

Vorträge

Intranasale Kortisontherapie mittels Druckstoß-Inhalation. 81. Jahresversammlung der Deutschen Gesellschaft für Hals-Nasen-Ohren-Heilkunde, Kopf- und Hals-Chirurgie e.V. Mai 2010, Wiesbaden.

Intranasale Kortisontherapie mittels Druckstoß-Inhalation (AMSA). Jahrestagung der Arbeitsgemeinschaft für Olfaktologie und Gustologie Dezember 2009, Wien.

Multiple Sklerose und Riechvermögen. 80. Jahresversammlung der Deutschen Gesellschaft für Hals-Nasen-Ohren-Heilkunde, Kopf- und Hals-Chirurgie e.V. Mai 2009, Bonn.

Beclomethason-Spray in der Therapie von Riechstörungen. 79. Jahresversammlung der Deutschen Gesellschaft für Hals-Nasen-Ohren-Heilkunde, Kopf- und Hals-Chirurgie e.V. Mai 2008, Bonn.

Beclomethason zur Therapie von Riechstörungen – eine Pilotstudie. Jahrestagung der Arbeitsgemeinschaft für Olfaktologie und Gustologie Dezember 2007, Berlin.